

United States Department of the Interior



FISH AND WILDLIFE SERVICE Red Bluff Fish & Wildlife Office 10950 Tyler Road, Red Bluff, California 96080 (530) 527-3043, FAX (530) 529-0292

January 6, 2020

To: Interested Parties

From: Scott Voss, Supervisory Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (December 17, 2019 - December 31, 2019)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of unmarked juvenile salmonids sampled at Red Bluff Diversion Dam for the period December 17, 2019 through December 31, 2019. Race designation was assigned using length-at-date criteria.

This report also contains graphical displays of salmonid passage dating back to 2012 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 243.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

				Estimated passage				
Date	Discharge volume (cfs) ¹	Water temperature (°C)	Water turbidity (NTU)	BY19 Winter	BY19 Spring	BY19 Fall	BY19 Late-Fall	BY19 RBT
12/17/2019	7,289	9.0	5.7	1,576 (53 – 96)	68 (38)	5,309 (31 – 37)	204 (106 – 165)	35 (189)
12/18/2019	7,049	8.8	3.7	952 (52 – 77)	32 (48)	4,158 (31 – 37)	164 (109 – 142)	0 (-)
12/19/2019	7,138	9.3	3.4	343 (60 – 79)	69 (38 – 39)	3,633 (30 – 37)	0 (-)	0(-)
12/20/2019	8,112	9.8	4.3	864 (54 – 80)	0 (-)	3,254 (31 – 38)	91 (119 – 121)	0(-)
12/21/2019	8,023	9.9	4.4	2,134 (55 – 78)	846 (41 – 50)	6,687 (30 – 38)	405 (109 – 153)	1,104 (150 – 195)
12/22/2019	8,827	10.0	6.7	955 (54 – 68)	0 (-)	5,867 (33 – 36)	0 (-)	293 (77)
12/23/2019	11,261	10.2	5.6	962 (61 – 101)	185 (39)	13,304 (32 – 38)	0 (-)	0(-)
12/24/2019	11,261	9.7	8.4	5,536 (55 – 80)	482 (39 – 47)	65,593 (30 – 38)	453 (114 – 120)	0(-)
12/25/2019	9,250	9.9	_	_	_	_	_	_
12/26/2019	8,923	9.6	_	_	_	_	_	_
12/27/2019	8,808	9.4	3	314 (57 – 97)	0 (-)	26,555 (27 – 39)	0 (-)	0(-)
12/28/2019	8,452	9.6	2.7	239 (59 – 105)	34 (53)	22,097 (30 – 40)	0 (-)	34 (78)
12/29/2019	8,377	10.0	2.4	629 (55 – 105)	33 (52)	18,891 (29 – 39)	66 (129 – 140)	0(-)
12/30/2019	8,213	9.9	1.9	295 (57 – 82)	0(-)	13,353 (31 – 39)	0 (-)	0(-)
12/31/2019	7,585	10.9	2.7	277 (57 – 93)	35 (48)	18,309 (30 – 39)	35 (134)	0(-)
Biweekly Total ²				17,506	1,979	261,943	1,603	1,477
Biweekly Lower 90% Confidence Interval				7,593	433	161,212	403	368
Biweekly Upper 90% Confidence Interval				27,419	3,524	362,673	2,803	2,587
Brood Year Total				3,777,656	35,500	391,886	149,751	24,470
Brood year Lower 90% Confidence Interval				2,471,113	14,053	175,781	20,348	6,816
Brood year Upper 90% Confidence Interval				5,084,198	56,948	607,991	279,152	42,125

¹ Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd).

² Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week.

Juvenile Winter Chinook Salmon Estimated Passage




Figure 1. Weekly estimated passage of unmarked juvenile winter Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2013 to present.

^{*}Winter Chinook passage value interpolated using a monthly mean for the period October 1, 2013 - October 17, 2013 due to government shutdown.

^{**}Winter Chinook passage value reflects addition of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period of October 16th thru November 18th during brood years 2017 thru 2019. See memos on 2018 & 2019 biweekly report pages for more info.




Figure 2. Weekly estimated passage of unmarked juvenile spring Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2013 to present.

^{*}Spring Chinook passage value reflects subtraction of length-at-date spring Chinook determined to be winter Chinook from genetic analysis during the period of October 16th thru November 18th during brood years 2017 thru 2019. See memos on biweekly report website for more info.

Juvenile Onchorhyncus mykiss Estimated Passage




Figure 3. Weekly estimated passage of unmarked juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2013 to present.




Figure 4. Weekly estimated passage of unmarked juvenile fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2013 to present.




Figure 5. Weekly estimated passage of unmarked juvenile late fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2013 to present.




Figure 6. Weekly estimated passage of unmarked juvenile Chinook salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2012 to December 31, 2018